Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1374	(717/124 or 717/125 or 717/127 or 717/129 or 717/130)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:40
S2	4044	(set$4 or insert$3 or establish$3 or embed$4 or designat$3 or anchor$3 or install$5 or implement$5 or creat$3 or add$3) with (breakpoint$1 or (break adj point$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:05
S3	403	(stor$3 or log$3 or sav$3 or record$3 or writ$3 or collect$3 or add$3) with (breakpoint$1 or (break adj point$1)) with (structure$1 or repositor$3 or database$1 or table$1 or storage$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:44
S4	28924	(halt$3 or interrupt$3 or paus$3 or suspend$3 or stop$4) with execution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:44
S7	1598	interact$6 same debug$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:47
S12	1314	S2 with (function$1 or method$1 or instruction$1 or statement$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:54
S13	230	S7 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:54
S14	174	S13 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:54
S15	50	S14 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:54

S16	36	S15 and (object adj oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:55
S17	8	S16 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:55
S18	6	S17 and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:55
S19	53078	(class$2 with (abstract or parent or interface$1 or base or derived)) or superclass$2 or subclass$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:00
S20	60	S19 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:00
S21	37	S20 and (object adj oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:01
S22	8	S21 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:01
S23	92	S2 with ((user$1 or client$1) near4 (input$4 or request$3 or prompt$3 or command$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:51
S24	484	S4 with ((user$1 or client$1) near4 (input$4 or request$3 or prompt$3 or command$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:06
S25	15	S23 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:22

S27	20	(US-5740440-$ or US-6266806-$ or US-6266805-$ or US-6240549-$ or US-6240545-$ or US-6189140-$ or US-5960199-$ or US-5940616-$ or US-5926638-$ or US-4885717-$ or US-5845125-$ or US-6077312-$ or US-5560009-$ or US-5093914-$ or US-5630049-$ or US-6091896-$ or US-6550056-$).did. or (US-20030106046-$ or US-20010004766-$ or US-20020129337-$).did.	US-PGPUB; USPAT	OR	OFF	2004/08/19 14:54
S28	6	S27 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:51
S29	5	S28 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:53
S30	2	S29 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:52
S32	2	S28 and S19	US-PGPUB; USPAT	OR	OFF	2004/08/19 14:54
S33	720	(identifi$6 or identify$3 or determin$5 or display$3 or mark$3 or analyz$3 or label$4 or categoriz$3 or pinpoint$3 or denot$3 or indicat$3) with (constructor$1 or creator$1) with (class$2 or interface$1 or object$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:48
S34	719	(display$3 or show$3 or $2present$6 or communicat$3) with (constructor$1 or creator$1) with (class$2 or interface$1 or object$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:48
S35	238	(select$3 or choos$3 or chose$1 or elect$3) with (constructor$1 or creator$1) with (class$2 or interface$1 or object$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:48

S36	709	(set$4 or insert$3 or establish$3 or embed$4 or designat$3 or anchor$3 or install$5 or implement$5 or creat$3 or add$3) with (breakpoint$1 or (break adj point$1)) with (statement$1 or instruction$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:48
S37	991	(remov$3 or delet$3 or eliminat$3 or edit$3) with (breakpoint$1 or (break adj point$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 19:21
S38	71002	(insert$3 or add$3 or embed$4 or set$4) with (code$1 or instruction$1 or routine$1 or procedure$1) with (constructor$1 or creator$1 or method$1 or function$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:49
S39	457	(hit$4 or encounter$3) with (breakpoint$1 or (break adj point$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:49
S40	133	(track$3 or monitor$3 or record$3) with (number$3 or count$3) with (breakpoint$1 or (break adj point$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:49
S41	67570	(number$3 or count$3) with (meet$3 or exceed$3 or $3pass$3 or cross$3 or hit$3 or reach$3) with (threshold$1 or condition$1 or limit$5 or boundar$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:50
S42	92199	(object$1 or class$2) with (creat$3 or instantiat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:50
S43	1086418	(number$3 or count$3 or time$1) with (increment$3 or increas$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:50
S44	119	((hit$4 or encounter$3) with (breakpoint$1 or (break adj point$1))) same ((halt$3 or interrupt$3 or paus$3 or suspend$3 or stop$4) with execution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:50

S45	220	((identifi$6 or identify$3 or determin$5 or display$3 or mark$3 or analyz$3 or label$4 or categoriz$3 or pinpoint$3 or denot$3 or indicat$3) with (constructor$1 or creator$1) with (class$2 or interface$1 or object$1)) same user$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:50
S46	100	((select$3 or choos$3 or chose$1 or elect$3) with (constructor$1 or creator$1) with (class$2 or interface$1 or object$1)) same user$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:51
S47	1	(((((select$3 or choos$3 or chose$1 or elect$3) with (constructor$1 or creator$1) with (class$2 or interface$1 or object$1)) same user$1) and ((set$4 or insert$3 or establish$3 or embed$4 or designat$3 or anchor$3 or install$5 or implement$5 or creat$3 or add$3) with (breakpoint$1 or (break adj point$1)))) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/130)".clss")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:51
S48	1	((US-5560009-$ or US-5740440-$ or US-6266806-$ or US-6266805-$ or US-6240549-$ or US-6240545-$ or US-6189140-$ or US-5960199-$ or US-5940616-$ or US-5926638-$ or US-4885717-$).did. or (US-20030106045-$).did.) and ((number$3 or count$3) with (meet$3 or exceed$3 or $3pass$3 or cross$3 or hit$3 or reach$3) with (threshold$1 or condition$1 or limit$5 or boundar$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:51
S49	28	((identifi$6 or identify$3 or determin$5 or display$3 or mark$3 or analyz$3 or label$4 or categoriz$3 or pinpoint$3 or denot$3 or indicat$3) with (constructor$1 or creator$1) with (class$2 or interface$1 or object$1)) same (user near5 input)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 18:53

S50	2	(((identifi$6 or identify$3 or determin$5 or display$3 or mark$3 or analyz$3 or label$4 or categoriz$3 or pinpoint$3 or denot$3 or indicat$3) with (constructor$1 or creator$1) with (class$2 or interface$1 or object$1)) same (user near5 input)) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/130)".clss")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 19:14
S51	3	(((hit$4 or encounter$3) with (breakpoint$1 or (break adj point$1))) same ((halt$3 or interrupt$3 or paus$3 or suspend$3 or stop$4) with execution)) and (((identifi$6 or identify$3 or determin$5 or display$3 or mark$3 or analyz$3 or label$4 or categoriz$3 or pinpoint$3 or denot$3 or indicat$3) with (constructor$1 or creator$1) with (class$2 or interface$1 or object$1)) and ((set$4 or insert$3 or establish$3 or embed$4 or designat$3 or anchor$3 or install$5 or implement$5 or creat$3 or add$3) with (breakpoint$1 or (break adj point$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:51
S52	9	(((identifi$6 or identify$3 or determin$5 or display$3 or mark$3 or analyz$3 or label$4 or categoriz$3 or pinpoint$3 or denot$3 or indicat$3) with (constructor$1 or creator$1) with (class$2 or interface$1 or object$1)) same user$1) and ((set$4 or insert$3 or establish$3 or embed$4 or designat$3 or anchor$3 or install$5 or implement$5 or creat$3 or add$3) with (breakpoint$1 or (break adj point$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:51

S53	6	(((select$3 or choos$3 or chose$1 or elect$3) with (constructor$1 or creator$1) with (class$2 or interface$1 or object$1)) same user$1) and ((set$4 or insert$3 or establish$3 or embed$4 or designat$3 or anchor$3 or install$5 or implement$5 or creat$3 or add$3) with (breakpoint$1 or (break adj point$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:51
S54	2	(((select$3 or choos$3 or chose$1 or elect$3) with (constructor$1 or creator$1) with (class$2 or interface$1 or object$1)) same user$1) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/130)".clss")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 17:51
S55	5	((717/124 or 717/125 or 717/127 or 717/129 or 717/130)".clss") and ((select$3 or choos$3 or chose$1 or elect$3) with (constructor$1 or creator$1) with (class$2 or interface$1 or object$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:15
S56	2	("5590330").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:46
S57	4	(set$4 or insert$3 or establish$3 or embed$4 or designat$3 or anchor$3 or install$5 or implement$5 or creat$3 or add$3) with (breakpoint$1 or (break adj point$1)) with (construct$1 or constructor$1 or creator$1) with (class$2 or interface$1 or object$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 18:52
S58	2852	(identifi$6 or identify$3 or determin$5 or display$3 or mark$3 or analyz$3 or label$4 or categoriz$3 or pinpoint$3 or denot$3 or indicat$3) with (construct$1 or constructor$1 or creator$1) with (class$2 or interface$1 or object$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 18:54

S59	3	((set$4 or insert$3 or establish$3 or embed$4 or designat$3 or anchor$3 or install$5 or implement$5 or creat$3 or add$3) with (breakpoint$1 or (break adj point$1)) with (construct$1 or constructor$1 or creator$1) with (class$2 or interface$1 or object$1)) and ((identifi$6 or identify$3 or determin$5 or display$3 or mark$3 or analyz$3 or label$4 or categoriz$3 or pinpoint$3 or denot$3 or indicat$3) with (construct$1 or constructor$1 or creator$1) with (class$2 or interface$1 or object$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 18:54
S60	10	"5845125".URPN.	USPAT	OR	OFF	2004/07/19 18:59
S61	9	("5093914" | "5560009" | "5740440" | "5764989" | "5778230" | "5812850" | "5845125" | "5848274" | "5854931").PN.	USPAT	OR	OFF	2004/07/19 19:01
S62	1013	(remov$3 or cancel$4 or delet$3 or eliminat$3 or edit$3) with (breakpoint$1 or (break adj point$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 19:21
S63	5	((identifi$6 or identify$3 or determin$5 or display$3 or mark$3 or analyz$3 or label$4 or categoriz$3 or pinpoint$3 or denot$3 or indicat$3) with (construct$1 or constructor$1 or creator$1) with (class$2 or interface$1 or object$1)) and ((remov$3 or cancel$4 or delet$3 or eliminat$3 or edit$3) with (breakpoint$1 or (break adj point$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/19 19:22
S64	13	((identifi$6 or identify$3 or determin$5 or display$3 or mark$3 or analyz$3 or label$4 or categoriz$3 or pinpoint$3 or denot$3 or indicat$3) with (constructor$1 or creator$1) with (class$2 or interface$1 or object$1)) and ((set$4 or insert$3 or establish$3 or embed$4 or designat$3 or anchor$3 or install$5 or implement$5 or creat$3 or add$3) with (breakpoint$1 or (break adj point$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/20 17:14

S65	176	(interact$6 same debug$4) and ((717/124 or 717/125 or 717/128 or 717/129 or 717/166)".clss")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 11:56
S66	18	((interact$6 same debug$4) and ((717/124 or 717/125 or 717/128 or 717/129 or 717/166)".clss")) and ((object adj oriented) same (class$2 with (abstract or parent or interface$1 or base or super)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 11:58
S67	14	((user$1 or client$1) near4 (input$4 or request$3 or prompt$3 or command$3)) with set$4 with ((break?point$1) or (break adj point$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:05
S101	12409	(class$2 near3 (base or parent or abstract or interface$1 or super)) or superclass$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:32
S102	8	S101 with (breakpoint$1 or (break adj1 point$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:11
S103	12	("5845125").URPN.	USPAT	OR	OFF	2005/04/28 14:08
S104	4	("4827404" | "4885717" | "5093914" | "5432903").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 14:08
S105	16	S103 or S104	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 14:08
S106	0	S105 with (breakpoint$1 or (break adj1 point$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:29
S107	7	S105 and (breakpoint$1 or (break adj1 point$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:09
S108	3	S107 and ((breakpoint$1 or (break adj1 point$1)) with class$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:09

S109	2	S107 and ((class$2 near5 (base or parent or abstract or interface$1 or super)) or superclass$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:10
S110	138	class$2 with (breakpoint$1 or (break adj1 point$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:31
S111	34	S110 and S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:12
S112	27	S111 and (derived or subclass$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:12
S113	9	("5093914" | "5560009" | "5740440" | "5764989" | "5778230" | "5812850" | "5845125" | "5848274" | "5854931").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 14:28
S115	8	S113 and (breakpoint$1 or (break adj1 point$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:52
S116	5	S115 and (class$2 with (breakpoint$1 or (break adj1 point$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:29
S117	2421	(method$1 or function$1) with (breakpoint$1 or (break adj1 point$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:31
S118	52	S117 same (class$2 with (method$1 or function$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:14
S119	33	S118 and ((class$2 with (base or parent or abstract or interface$1 or super)) or superclass$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:32

S120	44	(class or inherit$4) near3 (breakpoint$1 or (break adj1 point$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:52
S121	331	S117 and ((inherit$4 or deriv$3) with (method$1 or function$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:14
S122	74	S121 and (class$2 with (method$1 or function$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:15
S123	218	(717/129)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:16
S124	7	S122 and S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:16